

# ROCATEX

---

Units 3+4 Camwal Park  
Camwal Road  
Harrogate, HG1 4PT  
United Kingdom

T: +44 (0)1423 882 990  
F: +44 (0)1423 299 040  
E: [info@rocatex.com](mailto:info@rocatex.com)  
[www.rocatex.com](http://www.rocatex.com)

---

## Safety Data Sheet – Rocatex Tile & Stone Renovator SDS008 – Aug 2012 V3

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Tile & Stone Renovator

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Uses: Cleaning Agent

Uses advised against: Any use other than those identified (see Technical Data Sheet)

#### 1.3. Company identification

Name: Rocatex Limited

Address: Units 3&4 Camwal Park Camwal Road Harrogate HG1 4PT

Telephone: +44 (0) 1423 882 990

E-mail: [info@rocatex.com](mailto:info@rocatex.com)

#### 1.4. Emergency telephone

UK/European Emergency N°: 999 or 112

Rocatex (during office hours): 01423 882 990

Out of Hours: 07939 568866

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture Classification (EC 1272/2008)

Physical and Chemical Not classified

Human health Not Classified

Environment Not Classified

Classification (1999/45/EEC) Not Classified

For the full text for all R phrases and Hazard statements see section 16

Human Health

May cause temporary irritation on skin or eye contact

Environment

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

Physical And Chemical Hazards

Contact with strong alkalis (eg. Caustic soda) will release ammonia. Do not mix with such materials

## 2.2 Label elements

### 2.2.1 Labelling according to Regulation (EC) 1272/2008:

No pictogram required

Hazard Statements

None

Precautionary Statements

P271B Use only in well ventilated area

P261 Avoid breathing vapour/spray

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do, continue rinsing

P102 Keep out of reach of children

P501 Dispose of contents/container in accordance with local authority regulations

### 2.3. Other hazards

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

#### Under CLP EC 1272/2008 and 67/548/EEC

Ingredient	%	REACH No.	CAS No.	EC No.	CLP Hazard Category	Hazard Statements
2-BUTOXYETHANOL	5-10	N/A	111-76-2	203-905-0	Acute Tox 4 Skin Irrit. 2 Eye Irrit 2	H302, H312, H332, H315, H319  Xn, R20/21/22 Xi, R36/38

Ingredient	%	REACH No.	CAS No.	EC No.	CLP Hazard Category	Hazard Statements
Tetrapotassium pyrophosphate	1-5	N/A	7320-34-5	230-785-7	Eye Irrit. 2	H319  Xi, R36

Ingredient	%	REACH No.	CAS No.	EC No.	CLP Hazard Category	Hazard Statements
Ammonia	<1	N/A	1336-21-6	215-647-6	Skin Corr 1B STOT SE 3 Aquatic Acute	H314, H335, H400  C, R34

					1	N, R50
--	--	--	--	--	---	--------

For full text for all R-Phrases and Hazard Statements see section 16

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

General Information

General information

Remove affected person from source of exposure. Provide fresh air, first-aid, warmth and rest.

Do not give victim anything to drink if they are unconscious.

Inhalation

Move the exposed person to fresh air at once. If unconscious or breathing is irregular place on their side in the recovery position and ensure their airways are clear.

Artificial respiration may be administered by suitably qualified first-aiders if the patient is unconscious or breathing is difficult.

Get immediate medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! If unconscious place patient on their side in the recovery position and ensure they are breathing. Clean nose and mouth with water.

Artificial respiration may be administered by suitably qualified first-aiders.

Get medical attention if symptoms persist.

Skin contact

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and running water. Take especial care to clean folds, crevices, creases and groin.

Get medical attention if irritation persists or develops.

Launder clothing and clean shoes thoroughly before reuse.

Eye contact

Check for contact lenses which must be removed from the eyes before rinsing.

Promptly rinse eyes with plenty of clean water while lifting the eyelids.

Continue to rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

**SECTION 5: FIRE-FIGHTING MEASURES**

**5.1 Extinguishing media:**

Extinguishing media

This product is not flammable. Use fire-fighting measures appropriate to the surrounding circumstances and environment. Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products

During fire, toxic gases (CO, CO2, NOx) are formed.

**5.3. Advice for firefighters**

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away. Fire water run-off

must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures:

Ventilate to dispel any residual vapour. Clean-up personnel should use respiratory protection, gloves, goggles and protective clothing and footwear (see section 8).

### 6.2. Environmental precautions

Do not allow spilt material to enter drains or water courses. Cover all drains and sewers. Avoid spreading spilled material. Contain spillages with sand, earth or suitable inert absorbent material. Prevent further spillage if safe to do so. In the event of contamination of watercourses or sewers advise the Environment Agency, fire brigade and police.

### 6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, sand, diatomaceous earth or other inert absorbent material. Place into clearly labelled container for recovery or disposal (see section 13). Rinse site with copious amounts of water, which should not be allowed into drains, sewers or water courses.

### 6.4. Reference to other sections

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

Avoid spilling, skin and eye contact. Wash thoroughly after handling. 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters:

Name	STD	TWA – 8 Hrs	STEL – 15 Min
2-BUTOXYETHANOL	WEL	25ppm	50ppm SK
Ammonia...%	WEL	25ppm 18mg/m3	35ppm 25mg/m3

#### Ingredient comments

WEL = Workplace Exposure Limits

SK = Can be absorbed through skin

### 8.2. Exposure controls

Process conditions

Provide quick drench eyewash and safety shower.

Engineering measures

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Respiratory equipment

If ventilation is insufficient suitable respiratory protection must be provided.

Seek advice and recommendations of the manufacturer or supplier of equipment

Hand protection

Wear suitable protective gloves conforming to EN 374. Seek recommendations from manufacturer or supplier. After using gloves the hands should be washed and dried thoroughly and a suitable moisturiser applied.

Eye protection

Wear tightly fitting safety goggles conforming to EN 166.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1.1 Information on basic physical and chemical properties:**

Appearance:	Liquid
Odour:	Fishy Ammonia
Boiling point:	100° C @ 760mm Hg.
Relative density:	1.00 – 1.05 @ 20° C
Solubility in water:	Completely miscible with water
Flash Point	N/A Aqueous solution

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Reactivity:**

#### 10.2. Chemical stability

Stable under normal conditions of storage and use. See section 7.

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid strong alkalis

#### 10.5. Incompatible materials

Materials to avoid

Avoid strong acids, strong alkalis

#### 10.6. Hazardous decomposition products

In conditions of fire or excessive heat gives off toxic fumes and gases.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### **11.1.1 Information on toxicological effects**

Toxicological information

Health effects of this preparation as supplied have not been fully determined. The information below should be regarded as precautionary.

Inhalation

Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

Ingestion

May cause discomfort if swallowed.

Skin contact

Contains components which may penetrate the skin. Prolonged or repeated exposure may cause severe irritation.

Eye contact

May cause severe irritation to eyes. Target Organs

Eyes Skin

## **SECTION 12: ECOLOGICAL INFORMATION**

## Ecotoxicity

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

#### Degradability

The product is biodegradable, but it must not be discharged into drains without permission from the authorities.

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

#### Mobility:

The product contains substances, which are water soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### General information

Empty but unlaundered containers must be treated in the same manner as when full; labels should not be removed.

### 13.1. Waste treatment methods

Product is intended for household use. Small quantities may be disposed of by emptying into the drain whilst carefully flushing away with running water.

Larger quantities should be disposed of in accordance with local authority requirements.

## **SECTION 14: TRANSPORT INFORMATION**

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Transport Labels

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

No transport warning sign required.

Environmentally Hazardous Substance/Marine Pollutant No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance:**

#### Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

#### Approved Code Of Practice

Safety Data Sheets for Substances and Preparations.

#### Guidance Notes

Workplace Exposure Limits EH40.

CHIP for everyone HSG(108).

#### EU Legislation

ADR (L'Accord européen relative au transport international des marchandises dangereuses par route.)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

EC Regulation 648/2004 on Detergents.

#### Water hazard classification

N/A.

### **15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

## **SECTION 16: OTHER INFORMATION**

#### Revision Comments

New format SDS, including classification to CLP. (EC1272/2008)

Revision Date                    30-AUG-12

Revision                            03

#### Risk Phrases In Full

R34	Causes burns.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and skin.
R36/38	Irritating to eyes and skin
R36	Irritating to eyes
R37	Irritating to respiratory system.
NC	Not Classified
R50	Very toxic to aquatic organisms.

#### Hazard Statements In Full

H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage. Causes skin irritation.
H315	Causes skin irritation
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

*Disclaimer*

Although we try to ensure that the information in this publication is accurate, it is not intended as technical advice applicable to your particular circumstances and we accept no liability if you use it in this way. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. The advice shown on this sheet is given as a guide to good practice but Rocatex Ltd. can accept no responsibility for any loss, damage or injury howsoever caused in following it.

This version of the SDS supersedes all previous versions.

**APPENDIX: Exposure Scenarios:** N/a